

**Notice of Allowability**

Application No.

10/821,247

Examiner

Thomas E. Lazo

Applicant(s)

ITO ET AL.

Art Unit

3745

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to \_\_\_\_\_.
2. ☒ The allowed claim(s) is/are 1-5.
3. ☒ The drawings filed on 08 April 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 4/8/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

### **REASONS FOR ALLOWANCE**

The instant invention is deemed to be directed to an unobvious improvement over the invention patented in U. S. Patent No. 6,324,843 to Yasuda et al. and U. S. Patent Application Publication No. 2003/0079170 to Webster et al. The improvement comprises a power train unit with a dipstick wherein the gauge portion of the dipstick extends within the housing from an area near the outer circumference of the reduced diameter swash plate supporting portion down to the bottom of the housing for the purposes of reducing the width of the power train unit.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### **PRIOR ART**

The patent to Yasuda et al and Publication to Webster et al. are cited for the showing of a power train unit with a dipstick similar to applicant's but lacking the gauge portion extending as claimed.

Prior art made of record but not relied upon is considered pertinent to Applicant's disclosure and consists of three patents.

Hayashi et al. (6,698,199), Saito et al. (6,530,218), and Hayashi et al. (5,575,151) are cited to show power train units with reduced diameter swash plate supporting portions.


Art Unit: 3745

***Contact Information***

Any inquiry concerning this communication or earlier communication from the examiner should be directed to Thomas Lazo whose telephone number is (571) 272-4818. The examiner can normally be reached on Monday-Friday from 8:00 am to 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor Edward Look, can be reached on (571) 272-4820. The fax phone number for this Group is (703) 872-9306.

Any inquiry of a general nature or relating to status of this application or proceeding should be directed to the Patent Application Information Retrieval (PAIR) system. For more information about the PAIR system, see <http://pair-direct.uspto.gov>.



Thomas E. Lazo  
Primary Examiner  
Art Unit 3745

TEL  
May 26, 2005